
	Product information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
COND	TD125-14G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Product No. 1	1100087888	
Product picture(Note:the	picture may not be the same as the	Series description
		Product introduction
		Single stage in-line centrifugal pumps, inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines. Performance and advantages Compact structure Maintenance convenience Low noise Both cast iron and stainless steel impeller are available Application range
technology		
Pump rotator speed	1450	
Pump version	Extension shaft	
Material		
Impeller	HT200	
Pump body	HT200	
Rubber code	NBR	
Rubber code	NDR	
Installation		
Connection Code	F	
Maximum Operation Pre	essure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types Inlet & Outlet Bore Rotation Direction	-15~110 DN 125 Clockwise rotation view	
Rotation Direction	CIOCKWISE I OLALIOIT VIE	
Motor		
Number of Motor Phase	Three Phase	
Protection Class	IP55	
Insulation Class	F	
Motor Power	7.5	
Power Frequency	50Hz	
Rated Voltage (V)	380V	
Energy Efficiency Level	IE3	
Seal		
Mechanical Seal	TD-28/BSE4	
Oth and		
Others	450	
Weight (kg)	150	

	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
CNP	TD125-14G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	




CNP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-14G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	
		Contact	

Rated parameters		
Pump model	TD125-14G/4	
Product No.	1100087888	ten beed
Rated flow(m ³ /h)	120	6
Rated pressure(m)	14	
Rated efficiency(%)	77	
Power(kW)	5.79	
NPSHr(m)	4	
Speed(rpm)	1450	
Max impeller diameter(mm)	221	75
Medium		Loop Loop Loop Loop Loop Loop Loop Loop
Medium Name	Clear Water	15
Working temperature(°C)	20	
Medium density(kg/m ³)	1000	
Viscosity(mm ² /s)	1	

80 100 Flow(m³/h) 140

Structure picture TD125-14G/4	Structuro picturo	Manufacturer	CNP
	Address	Yuhang District, Hangzhou,	
	TD125-14G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



⁻⁴⁻

CONP	Size picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-14G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

