
	Product information TD125-22G/4	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
COND		Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
Station Number		Contact	

Product No.	1100136178	
Product picture(Note:the	picture may not be the same as the	Series description
	picture may not be the same as the	Product introduction Single stage in-line centrifugal pumps, inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines. Performance and advantages Compact structure Maintenance convenience Low noise Both cast iron and stainless steel impeller are available Application range
technology		
Pump rotator speed	1480	
Pump version	Extension shaft	
Material		
Impeller	HT200	
Pump body	HT200	
Rubber code	NBR	
Installation		
Connection Code	F	
Maximum Operation Pr	essure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types Inlet & Outlet Bore Rotation Direction		wed from motor end
Motor		
Number of Motor Phase		
Protection Class	IP55	
Insulation Class	F	
Motor Power	15	
Power Frequency	50Hz	
Rated Voltage (V)	380V	
Energy Efficiency Level	IE3	
Seal		
Mechanical Seal	TD-40/BSE4	
Others		
Weight (kg)	310	

	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
COND	TD125-22G/4	Contact	86-571-88637351
	10125-220/4	Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-22G/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	
			•

Rated parameters		
Pump model	TD125-22G/4	8
Product No.	1100136178	
Rated flow(m ³ /h)	160	
Rated pressure(m)	22	
Rated efficiency(%)	75	
Power(kW)	12.79	
NPSHr(m)	4	
Speed(rpm)	1480	
Max impeller diameter(mm)	278	
	ł	
Medium		Pomertovo
Medium Name	Clear Water	
Working temperature(°C)	20	

1000 1


Medium density(kg/m³)

Viscosity(mm²/s)

100

NPSHr(m)

	Structure picture TD125-22G/4	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
COND		Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



	Size picture TD125-22G/4	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
COND		Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

