
CONP	Product information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-40/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Product No. 1	1100040304	
Product picture(Note:the	picture may not be the same as the	Series description
	picture may not be the same as the	Product introduction   Single stage in-line centrifugal pumps, inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines.   Performance and advantages   Compact structure   Maintenance convenience   Low noise   Both cast iron and stainless steel impeller are available   Application range
technology Pump rotator speed	1480	
Pump version	Extension shaft	
Material		
Impeller	HT200	
Pump body	HT200	
Rubber code	NBR	
Installation		
Connection Code	F	
Maximum Operation Pre	essure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types Inlet & Outlet Bore Rotation Direction	-15~110 DN 125 Clockwise rotation view	wed from motor end
Motor		
Number of Motor Phase		
Protection Class	IP55	
Insulation Class	F	
Motor Power	30	
Power Frequency	50Hz	
Rated Voltage (V)	380V	
Energy Efficiency Level	IE3	
Seal		
Mechanical Seal	TD-40/BSE4	
Others		
Weight (kg)	442	


CNP	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-40/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CNP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-40/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	
· · · · · ·			-

Rated parameters		
Pump model	TD125-40/4	3
Product No.	1100040304	
Rated flow(m <sup>3</sup> /h)	160	
Rated pressure(m)	40	7
Rated efficiency(%)	73	
Power(kW)	23.89	
NPSHr(m)	4	
Speed(rpm)	1480	
Max impeller diameter(mm)	359	
Medium		
Medium Name	Clear Water	
Working temperature(°C)	20	
Medium density(kg/m³)	1000	
Viscosity(mm²/s)	1	
		9 29 49 69 60 100 100 100 100 100 200 Fow(nM)

CONP	Structure picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-40/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Size picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD125-40/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

