
CONP	Product information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD200-31/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Product No. 11	00079690	
Product picture(Note:the pi	cture may not be the same as the	Series description
technology		Product introduction Single stage in-line centrifugal pumps,inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines. Performance and advantages Compact structure Maintenance convenience Low noise Both cast iron and stainless steel impeller are available Application range
Pump rotator speed	1480	
Pump version	Easy-disassemble Type	
<b>Material</b> Impeller Pump body	HT200 HT200	
Rubber code	NBR	
Installation		
Connection Code	F	
Maximum Operation Press	sure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types Inlet & Outlet Bore Rotation Direction	-15~110 DN 200 Clockwise rotation view	ved from motor end
Motor		
Number of Motor Phase Protection Class Insulation Class Motor Power Power Frequency Rated Voltage (V) Energy Efficiency Level	Three Phase IP55 F 37 50Hz 380V IE3	
Seal		
Mechanical Seal	TD5-43/BSE4	
Others		
Weight (kg)	602	

CONP	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD200-31/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	




CONP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD200-31/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Rated parameters		X
Pump model	TD200-31/4	27
Product No.	1100079690	Head (m)
Rated flow(m <sup>3</sup> /h)	300	
Rated pressure(m)	31	
Rated efficiency(%)	79	
Power(kW)	33.35	
NPSHr(m)	4	
Speed(rpm)	1480	
Max impeller diameter(mm)	324	X
Medium		
Medium Name	Clear Water	
Working temperature(°C)	20	
Medium density(kg/m³)	1000	
Viscosity(mm²/s)	1	

3 200 240 280 320 360 Elow(m<sup>2</sup>h)

Structure	Structure picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
CNP	TD200-31/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



Size picture TD200-31/4	Size nicture	Manufacturer	CNP
	Address	Yuhang District, Hangzhou,	
	TD200-31/4	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

