
CONP	Product information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-70G/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

Product No.	1100077526	
Product picture(Note:the	picture may not be the same as the	Series description
	picture may not be the same as the	Product introduction Single stage in-line centrifugal pumps,inlet and outlet are horizontal with top side pulled out structure and can be repaired without removing the pipelines. Performance and advantages Compact structure Maintenance convenience Low noise Both cast iron and stainless steel impeller are available Application range
technology	2000	
Pump rotator speed	2900	
Pump version	Extension shaft	
Material		
Impeller	HT200	
Pump body	HT200	
Rubber code	NBR	
Installation		
Connection Code	F	
Maximum Operation Pre	essure PN12	
Medium Medium Temperature Structure dimension Inlet & outlet size types Inlet & Outlet Bore Rotation Direction	-15~110 DN 50 Clockwise rotation vie:	wed from motor end
Motor		
Number of Motor Phase	Three Phase	
Protection Class	IP55	
Insulation Class	F	
Motor Power	18.5	
Power Frequency	50Hz	
Rated Voltage (V)	380V	
Energy Efficiency Level	IE3	
Seal		
Mechanical Seal	TDS-28/BSE4	
Others		
Weight (kg)	203	

CONP	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-70G/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Pump technical parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-70G/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	


Rated parameters		
Pump model	TD50-70G/2	6- 2-
Product No.	1100077526	
Rated flow(m ³ /h)	50	
Rated pressure(m)	70	
Rated efficiency(%)	63	
Power(kW)	15.14	
NPSHr(m)	4	
Speed(rpm)	2900	
Max impeller diameter(mm)	234	
	· ·	12
Medium		
Medium Name	Clear Water	
Working temperature(°C)	20	
Medium density(kg/m³)	1000	

1

Viscosity(mm²/s)

(m))HSHN

CONP	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou,
	TD50-70G/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	



CONP	Size picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou,
	TD50-70G/2	Contact	86-571-88637351
		Date	2022/03/09
Project Name		Client Name	DPA
		Client Addr.	
Station Number		Contacts	Alireza
		Contact	

