
CNP	Product Information	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
	CDLK1-110/11	Contact	86-571-88637351
		Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100055642		
Product Picture		Note	
			Product introduction CDLK/CDLKF is non-self priming multi-stage centrifugal pump installed with standard motor. The motor shaft is directly connected with the pump shaft through coupling. The impellers and diffusers are made of stainless steel plate stamping and welding. In order to meet the requirement of installation depth of the water tank or vessel, it is possible to install cavity diffusers for changing length of the pump. Performance and advantages Compact structure Convenient maintenance Changeable installation depth
technology			
Pump rotator speed	2	900	
Nameplate standards	C	E	
Material			
Impeller	3	04	
Rubber code	Р		
Material Code	S		
Medium			
Medium Temperature r	normal -1	5+70	
Medium Temperature ł	nigh t -1	5+105	
Maximum Environment	t Temper 4	0	
Motor			
Number of Motor Phase	e T	hree Phase	
Protection Class	IF	255	
Insulation Class	F		
Motor Power		.55KW	
Power Frequency		OHZ	
Rated Voltage (V)		20/380V	
Rated Current (A) Energy Efficiency Level	2	.4/1.4A	
Seal			
Mechanical Seal	C	DL-12/WB1F14	
Others			
Weight (kg)	1	9	


CNP	Performance Curve	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
	CDLK1-110/11	Contact	86-571-88637351
		Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



CNP	Pump Technical Parameters	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
	CDLK1-110/11	Contact	86-571-88637351
		Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Rated parameters			
Pump model	CDLK1-110/11		
Part NO.	1100055642		
Rated flow (m <sup>3</sup> /h)	1		
Rated head (m)	61		
Rated efficiency (%)	36		
Power (kW)	0.46		
NPSHr (m)	2		
Speed (rpm)	2900		
Max impeller diameter (mm)	75		

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



CONP	Structure picture	Manufacturer	CNP
		Address	Yuhang District, Hangzhou, Zhejiang,
	CDLK1-110/11	Contact	86-571-88637351
		Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

