	Product Information	Manufacturer	CNP
	Product information	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDLK4-100/10	Contact	86-571-88637351
	CDLK4-100/10	Date	2022/07/17
Project Name	Client Name	DPA	
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100056253	
Product Picture	•	Note
		Product introduction  CDLK/CDLKF is non-self priming multi-stage centrifugal pump installed with standard motor. The motor shaft is directly connected with the pump shaft through coupling. The impellers and diffusers are made of stainless steel plate stamping and welding. In order to meet the requirement of installation depth of the water tank or vessel, it is possible to install cavity diffusers for changing length of the pump.  Performance and advantages  Compact structure Convenient maintenance Changeable installation depth
technology		

Nameplate standards

Material

Pump rotator speed

Impeller 304
Rubber code P
Material Code S

2900

CE

## Medium

Medium Temperature normal-15+70Medium Temperature high t-15+105Maximum Environment Temper40

## Motor

Number of Motor Phase
Protection Class
IP55
Insulation Class
Motor Power
2.2KW
Power Frequency
Rated Voltage (V)
Rated Current (A)
Energy Efficiency Level
Three Phase
Three Phase
Three Phase
Three Phase

2.2KW

2.2KW

2.2KW

2.2KW

2.24XW

2.24.7A

2.26/380V

3.2/4.7A


## Seal

Mechanical Seal CDL-12/WSF14

## Others

Weight (kg) 32


	Performance Curve	Manufacturer	lanufacturer CNP
	renormance curve	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDLK4-100/10	Contact	86-571-88637351
CIAL	CDLR4-100/10	Date 2022/07/17	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Pump Technical Parameters	Manufacturer	CNP	
	rump recimical ratameters	Address	Yuhang District, Hangzhou, Zhejiang,	
COND	CDLK4-100/10	Contact	86-571-88637351	
	CDLK4-100/10	Date	2022/07/17	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		


Rated parameters			
Pump model	CDLK4-100/10		
Part NO.	1100056253		
Rated flow (m³/h)	4		
Rated head (m)	81		
Rated efficiency (%)	50		
Power (kW)	1.77		
NPSHr (m)	2		
Speed (rpm)	2900		
Max impeller diameter (mm)	90		

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang
COND	CDLK4-100/10	Contact	86-571-88637351
	CDLK4-100/10	Date 2022/07/17	2022/07/17
Project Name	Client Name	DPA	
	Client Addr.		
Item NO		Contacts	Alireza
		Contact	



	Dimension Drawing	Manufacturer	CNP
	Difficusion Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDLK4-100/10	Contact	86-571-88637351
CIAL	CDLK4-100/10	Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

