	Product Information	Manufacturer	CNP
	Froduct information	Address	Yuhang District, Hangzhou, Zhejiang
COND	CDLK8-60/6	Contact	86-571-88637351
	CDLN0-00/0	Date	2022/07/17
Project Name	Client Name	DPA	
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

Part NO.	1100056483	
Product Picture	•	Note
ि		Product introduction CDLK/CDLKF is non-self priming multi-stage centrifugal pump installed with standard motor. The motor shaft is directly connected with the pump shaft through coupling. The impellers and diffusers are made of stainless steel plate stamping and welding. In order to meet the requirement of installation depth of the water tank or vessel, it is possible to install cavity diffusers for changing length of the pump. Performance and advantages Compact structure Convenient maintenance Changeable installation depth
technology		•
Pump rotator speed	d	2900

Material

Nameplate standards

Impeller 304
Rubber code P
Material Code S

CE

Medium

Medium Temperature normal -15+70

Medium Temperature high t -15+105

Maximum Environment Temper 40

Motor

Number of Motor Phase
Protection Class
IP55
Insulation Class
Motor Power
2.2KW
Power Frequency
Rated Voltage (V)
Rated Current (A)
Energy Efficiency Level
Three Phase
Three Phase
Three Phase
Three Phase
F
2.2KW

8.2/4.7A

IP55

F
8.2/4.7A

IP55

IP55

IP55

IP55

IP55

IP55

IP57

IP58


Seal

Mechanical Seal CDL-16/WSF14

Others

Weight (kg) 36


Performance Curve	Performance Curve	Manufacturer	CNP
	renormance curve	Address	Yuhang District, Hangzhou, Zhejiang,
CND	CDLK8-60/6	Contact	86-571-88637351
CIAL	CDLK6-00/0	Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



	Pump Technical Parameters	Manufacturer	CNP	
	rump recimical ratameters	Address	Yuhang District, Hangzhou, Zhejiang,	
COND	CDLK8-60/6	Contact	86-571-88637351	
	CDLK6-00/0	Date 2022/07/17	2022/07/17	
Project Name		Client Name	DPA	
		Client Addr.		
Item NO		Contacts	Alireza	
		Contact		


Rated parameters		
Pump model	CDLK8-60/6	
Part NO.	1100056483	
Rated flow (m³/h)	8	
Rated head (m)	54	
Rated efficiency (%)	58	
Power (kW)	2.03	
NPSHr (m)	2	
Speed (rpm)	2900	
Max impeller diameter (mm)	96.5	

Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1





	Structure picture	Manufacturer	CNP
	Structure picture	Address	Yuhang District, Hangzhou, Zhejiang
COND	CDLK8-60/6	Contact	86-571-88637351
	CDLN0-00/0	Date	2022/07/17
Project Name	Client Name	DPA	
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	



Dimension Drawing	Manufacturer	CNP	
	Difficusion Drawing	Address	Yuhang District, Hangzhou, Zhejiang,
COND	CDLK8-60/6	Contact	86-571-88637351
CIAL	CDLNO-00/0	Date	2022/07/17
Project Name		Client Name	DPA
		Client Addr.	
Item NO		Contacts	Alireza
		Contact	

